

Twilaq Industries, Inc.

1345 Seneca Avenue, Bronx, New York (718) 638-5860 1-(800) 950-SOAP

Product Information

Product/chemical name – **WOODKOTE FLOOR FINISH**

Date Issued: 1/1/2002 Supersede Date: 8/23/95

Prepared by – Regulatory Affairs

Ingredient Information

Chemical Name	Wgt %	Exposure Limit
Diethylene glycol methyl ether (CAS#111-77-3)*	4.0	25 ppm
Tributoxyethyl phosphate (CAS# 78-51-3)	1.0	N/A
Dibutyl phthalate (CAS# 84-74-2)*	<1.0	5 mg/m ³

* This chemical is subject to S.A.R.A. Title III, Section 313 reporting.

Physical Data

Appearance / Odor – Milky white liquid.

Vapor Pressure – N/A

Solubility in water - Complete

Freezing Point (°F) – 32°F

Boiling Point (°F) – 212°F

Specific Gravity (Water =1) – 1.05

Percent Volatile by Vo.% - 75

Evap. Rate (Butyl Acetate =1) – <1

PH(1% soln) – 8.9

Fire and Explosion Information

Flash Point (°F) - N/A Flammable Limits – N/A Extinguishing media – Water spray, Carbon Dioxide Flash point method – N/A

Special fire fighting procedures – N/A Unusual fire and explosion hazards – Material can splatter over 212°F.

Health Hazard Data

Primary routes of entry – Skin contact, eye contact, inhalation, ingestion.

Signs and symptoms – Irritation of skin, eye, respiratory tract.

First Aid Procedures:

Skin contact — In case of contact remove contaminated clothing and flush with water for at least 15 minutes.

Eye contact — Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.

Inhalation — Avoid breathing solution spray.

Ingestion — If swallowed do not induce vomiting. Give large quantities of water. Call a physician immediately. Never give anything by mouth to an unconscious person.

Reactivity Data

Stability – Stable

Incompatibility (materials to avoid) – Acids

Hazardous polymerization – N/A

Conditions to avoid – Excessive heat and freezing temperatures.

Hazardous decomposition products – CO and CO₂

Spill or Leak Procedures

Steps to be taken in case material is released or spilled – Confine as much as possible. Dike and absorb with inert material such as vermiculite. Transfer to containers.

Waste disposal information – Dispose of in state or federally approved landfill sites.

Special Protection Information

Respiratory Protection (specify type) – Use only with adequate ventilation.

Ventilation – Adequate

Eye Protection – Chemical splash goggles (ANSI Z 87.1 or equiv.)

Other Protective Measures- Wear protective clothing and rubber gloves to prevent contact with product.

Special Precautions

Precautionary labeling - Caution: KEEP OUT OF REACH OF CHILDREN

Contains: Diethylene glycol methyl ether (CAS# 111-77-3), Tributoxyethyl phosphate (CAS#78-51-3), Dibutyl phthalate (CAS# 84-74-2)

Avoid contact with eyes and prolonged contact with skin. In case of contact, flush eyes with plenty of water for at least 15 minutes and get prompt medical attention. Wash skin thoroughly with soap and water.

Other handling and storage conditions – Wear gloves, goggles and protective clothing to prevent contact with product.

Additional Information

For information on appropriate emergency procedures, phone: (718) 638-5860

Neither this data sheet nor any statement contained herein grants or extends any license, express or implied in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, express or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing to such information.

For chemical emergency, spill, leak, fire, exposure or accident call CHEMTREC (800) 424-9300 day or night.

HMIS RATING — Health 0 Flammability 0 Reactivity 0

N/A = NOT APPLICABLE

NSR = NO SPECIAL REQUIREMENT

ND = NOT DETERMINED

