

SUNSHINE - FLOOR FINISH

Safety Data Sheet

according to Federal Register / Col. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 05/08/2015

SECT	ION 1: Identification of the substan	nce/mixture and of the company/unde	ertaking		
1.1	Product Identifier				
Product	t Form	: Mixture			
Product		: Sunshine Floor Finish			
Product	t Code	: 1045			
1.2	Relevent identified uses of the subst	tance or mixture and uses advised against			
Use of t	the substance/mixture	: Floor Polishes			
1.3	Details of the supplier of the safety of	data sheet			
Twi-Lac	Industries, Inc.				
1345 Se	eneca Avenue				
Bronx, I	NY 10474				
T (718)	638-5860				
1.4	Emergency telephone number				
Emerge	ency number	: CHEM-TREC 1-800-424-9300			
SECT	ION 2: Hazards Identification				
		iviuro			
2.1 Classifi	Classification of the substance or m	IXLUIC			
Not Cla	ication (GHS-US) ssified				
2.2	Label Elements				
	Slabeling				
No Labe	eling Applicable				
2.3	Other Hazards				
No addi	itional information available				
2.4	Unknown Acute Toxicity				
No Data	a Available				
SECT	ION 3: Composition / Informa	tion on Ingredients			
3.1	Substance				
Not App					
3.2	Mixture				
	Name	Product Identifier	%	Classification (GHS-US)	
	Diethylene Glycol Monoethyl Ether	(CAS No.) 111-90-0	1 - 5	Eye Irrit. 2A, H319	
SECT	ION 4: First Aid Measures				
4.1	Description of First Aid measures				
		· Nover give emitting by mouth to an enser		inal unwell, welkk mediael advise	
FIISLAI	d measures general	: Never give anything by mouth to an oncor (show label where possible)	iscious person. Il you i		
First Air	d measures after inhalation	: Assure fresh air breathing. Allow the victi	m to rest		
	d measures after skin contact	: Remove affected clothing and wash all exp		nild soap and water, followed by warm wate	or rinco
	d measures after eye contact	: Rinse immediately with plenty of water. C			
	d measures after ingestion	: Rinse mouth. Do NOT induce vomiting.			
		. Tange moan. Do not induce volniting.			
4.2	Most important symptoms and effect				
Sympto	oms / injuries	: Not expected to present a significant haza	rd under anticipated co	nditions of normal use.	
4.3	Indication of any immediate medical	attention and special treatment needed			
No addi	itional information available				
SECT	ION 5: Firefighting Measures				
5.1 Suitable	Extinguishing Media		or oprov. Sand		
SUITOPIC		Com Drynewder Orthan District Mark			
	e extinguishing media	: Foam. Dry powder. Carbon Dioxide. Wate	er spray. Sanu.		
	e extinguishing media Ible extinguishing media	: Foam. Dry powder. Carbon Dioxide. Wate : Do not use a heavy water stream	ei spray. Sanu.		
Unsuita		: Do not use a heavy water stream	er spray. Sanu.		
Unsuita 5.2	ble extinguishing media	: Do not use a heavy water stream	er spray. Sanu.		
Unsuita 5.2	ble extinguishing media Special hazards arising from the sub	: Do not use a heavy water stream			

Firefighting Instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

05/08/2015

SUNSHINE PLUS - FLOOR FINISH

Safety Data Sheet

according to Federal Register / Col. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EN (english (US)

5.1.1	i oroonar procadions, protective	equipment and emergency procedures
	For non-emergency personnel	
Emerger	ncy Procedures	: Evacuate unnecessary personnel
6.1.2	For emergency responders	
Protectiv	re Equipment	: Equip cleanup crew with proper ventilation
Emerger	ncy Procedures	: Ventilate area
6.2	Environmental precautions	
Prevent	entry to sewers and public waters. N	otify authorities if liquid enters sewers or public waters.
5.3	Methods and material for contain	ment and cleaning up
/lethods	for cleaning up.	: Soak up spills with inert solids, sush as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4	Reference to other sections	
See Hea	ding 8. Exposure controls and persor	nal protection.
SECTI	ON 7: Handling and Storag	le
' .1	Precautions for safe handling	
Precautio	ons for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
.2	Conditons for safe storage, inclu	ding any incompatibilities
Storage	conditions	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
ncompa	tible products	: Strong bases. Strong acids.
ncompa	tible Materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

No additional information available

8.2 Exposure controls	
Personal Protective Equipment	: Avoid all unnecessary exposure
Hand Protection	: Protective gloves
Eye Protection	: Chemical goggles or safety glasses
Respiratory Protection	: Wear appropriate mask.
Other Information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical	and chemical properties
Physical state	: Liquid
Color	: Milky White
Odor	: Acrylic
Odor threshold	: No data available
рН	: 8.1 (±0.5)
Evaporation rate (butyl acetate=1)	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: 212°F - 220°F
Flash Point	: ≥ 200°F
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative vapor density @ 20°C	: Equivalent to water
Relative density	: 1.03
Solubility	: Soluble in Water
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

: No data available

- : No data available
- : No data available

05/08/2015

EN (english (US)

SUNSHINE - FLOOR FINISH

Safety Data Sheet

according to Federal Register / Col. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.1	Reactivity
No add	itional information available
10.2	Chemical Stability
Stable (under normal Conditions
10.3	Possibility of hazardous reactions
Not est	ablished
10.4	Conditions to avoid
Direct s	sunlight. Extremely high or low temperatures.
10.5	Incompatible materials
Strong	Acids. Strong bases.
onong	

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity

: Not classified

Diethylene Glycol Monoethyl Ether (111-90-0)		
LD50 oral rat	5445 mg/kg (Rat)	
LD50 dermal rat	5940 mg/kg (Rat)	
LD50 dermal rabbit	>5000 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	>5.2 mg/l/4h (Rat)	
ATE US (oral)	5445.0000000 mg/kg body weight	
ATE US (dermal)	5940.0000000 mg/kg body weight	
Skin corrosion / irritation	: Not classified (pH 8)	
Serious eye damage / irritation	: Not classified (pH 8)	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive Toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available date, the classification criteria are not met.	

SECTION 12: Ecological Information

12.1 Toxicity

Diethylene Glycol Monoethyl Ether (111-90-0)		
LC50 fish 1	12900 mg/l (96 h;;Salmo gairdneri (Oncorhynchus mykiss); Flow-through system)	
EC50 Daphnia 1	3940 mg/l (48 h; Daphnia magna)	
EC50 other aquatic organisms 1	10661 mg/l (Echinoidea; Growth)	
LC50 fish 2	9650 mg/l (96 h; Pimephales promelas; Flow-through system)	

12.2 Persistence and degradability

Sunshine	New set-black and	
Persistence and degradability	Not established	
Diethylene Glycol Monoethyl Ether (111-90-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.20 g O2 /g substance	
Chemical oxygen demand (COD	1.85 g O2 /g substance	
ThOD	1.9078849 g O2 /g substance	
BOD (% of ThOD)	0.11 % ThOD	

Sunshine

12.3

Bioaccumulative potential	Not established
Diethylene Glycol Monoethyl Ether (111-90-0)	
Log Pow	-1.19 - 0.08
Bioaccululative potential	Bioaccumulation: not applicable

05/08/2015

EN (english (US)

SUNSHINE PLUS - FLOOR FINISH

Safety Data Sheet

according to Federal Register / Col. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4	Mobility in Soil		
	Diethylene Glycol Monoethyl Ether (111-90-0)		
	Surface tension	0.032 N/m (25°C)	
12.5	Other adverse effects		
Effect on	ozone layer	: No additional information available	
	the global warming	: No known ecological damage caused by this product	
Other info	ormation	: Avoid release to the environment	
SECTI	ON 13: Disposal Consi	derations	
13.1	Waste Treatment Methods		
Waste di	sposal recommendations	: Dispose in a safe manner in accordance with local, state, and federal regulations.	
Ecology -	Waste materials	: Avoid release to the environment	
SECTI	ON 14: Transport Infor	mation	
In accord	ance with DOT		
Not regula	ated for transport		
Addition	al Information		
Other Info	ormation	: No supplementary information available	
ADR Transport	t document description		
Transpor		: No additional information available	
Air trans		: No additional information available	
SECTI	ON 15: Regulatory Info	rmation	
15.1	US Federal Regulations		
No additio	onal information available		
15.2	International Regulations		
CANADA			
	onal information available		
EU Regu No additio	onal information available		
	ation according to Regulation	(EC) No. 1272/2008 [CLP]	
	-	//548/EEC [DSD] or 1999/44/EC [DPD]	
Not Class 15.2.2			
	National Regulations onal information available		
	ON 16: Other Information		
Revision Other Info		: 2/27/2015 : None	
Full text	of H-phrases		
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
	H319	Causes serious eye irritation	
HMIS III I	Rating		
Health		: 1 Slight Hazard - Irritation or minor reversible injury possible	
Flammab	ility	: 0 Minimal Hazard	
Physical		: 0 Minimal Hazard	
	Protection	: B	

SDS US (GHS Hazcom 2012)

NOTICE: NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR C OTHER NATURE, ARE MADE WITH RESPECT TO INFORMATION CONCERNING THE PRODUCT REFERRED TO IN THIS MATERIAL SAFETY DATA SHEET.

The goal of defining precisely, in measurable terms, every possible health effect that may occur in the workplace as a result of chemical exposures cannot realistically be accomplished. The inform recommendation contained in this Material Safety Data Sheet are supplied pursuant to 29 C.F.R. 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof. Twi-Laq Industries, Inc., however, makes no representations as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the same will be required to make their own determination as to its suitability fc purposes prior to use. In no event will Twi-Laq Industries, Inc. be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. I information as supplied upon the express of the user of the substance which is the subject matter of this Material Safety Data Sheet. The ultimate compliane federal, state and local regulations concerning the use or disposal of this compound, or compliance with respect to products liability, rests solely upon the purchaser thereof.

05/08/2015

EN (english (US)





page 2

page 3

DF ANY

ation and

e or their ⊺he ⊧ce with

page 4